

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

DI 1. (Currently amended) A method of attaching at least one Web page to an e-mail message comprising:

- receiving at least one search term via e-mail;
- issuing a search request to a search engine using the at least one search term;
- receiving ~~the~~ a hit list from the search engine;
- retrieving at least one Web page ~~based on~~ from the hit list;
- bundling a copy of the at least one Web page into an e-mail message; and
- forwarding the e-mail message to an end-user's terminal wherein the copy of the at least one Web page may be reviewed by the end-user.

2. (Original) The method of claim 1 further comprising:

- receiving a number representative of a depth in which the depth is the amount another Web page is removed from the at least one Web page; and
- bundling a copy of each link between the other Web page and the at least one Web page into the e-mail message.

3. (Currently amended) A method of attaching a copy of at least one entire Web page to a first e-mail message comprising:

- receiving an address associated with the at least one entire Web page;
- retrieving the at least one entire Web page;
- automatically bundling a copy of the at least one entire Web page into the first e-mail message; and
- automatically forwarding the first e-mail message to a user's terminal wherein the copy of the at least one entire Web page may be retrieved and reviewed by the user at the user's terminal.

D1

4. (Previously amended) The method of claim 3 further comprises:

generating the address based upon a request to review the at least one entire Web page that is linked to a copy of another Web page wherein the copy of the other Web page is bundled in a second e-mail message; and

forwarding the second-email message to the user's terminal wherein the copy of the other Web page may be retrieved and reviewed by the user at the user's terminal.

5. (Previously amended) A computer readable medium for controlling a system, including a client terminal and a server, so the system's operations comprise:

receiving at least one search term at the client terminal;

bundling the at least one search term into a first message at the client terminal;

forwarding the first message from the client terminal to the server;

issuing the at least one search term as a search request from the server to a search engine;

receiving links to a plurality of Web pages that are associated with the at least one search term at the server;

issuing a request for at least one of the plurality of Web pages;

receiving the at least one Web page by the server;

the server automatically copying the at least one Web page into at least one e-mail message by the server; and

the server automatically forwarding the at least one e-mail message from the server to the client.

6. (Canceled).

7. (Previously added) The computer readable medium of claim 5, wherein the at least one Web page comprises a sub-plurality of the plurality of Web pages.

8. (Previously amended) A computer readable medium for controlling a system, including a client terminal and a server, so the system's operations comprise:

01
receiving at least one search term at the client terminal;
bundling the at least one search term into a first message at the client terminal;
forwarding the first message from the client terminal to the server;
issuing the at least one search term as a search request from the server to a search engine;
receiving links to a plurality of Web pages that are associated with the at least one search term at the server;

issuing a request for at least one of the plurality of Web pages, wherein the at least one Web page comprises a sub-plurality of the plurality of Web pages;
receiving the at least one Web page by the server;
copying the at least one Web page into at least one e-mail message by the server; and
forwarding the at least one e-mail message from the server to the client;
wherein the at least one e-mail message comprises a plurality of e-mail messages, and at least one of the sub-plurality of Web pages is copied into one of the plurality of e-mail messages.

9. (Previously added) The method of claim 1, wherein the copy of the at least one Web page bundled in the e-mail message may be reviewed by the end-user when the end-user's terminal is not connected to the Web.

10. (Previously added) The method of claim 1, wherein the bundled at least one Web page includes a link to a non-retrieved Web page, wherein the non-retrieved Web page can be retrieved directly via connection to the Internet.

11. (Previously added) The method of claim 10, wherein the non-retrieved Web page can be retrieved upon receiving another search term and issuing another search request to the search engine using the another term.

12. (Previously amended) A method of attaching at least one Web page to an e-mail message comprising:

receiving at least one search term;

①
issuing a search request to a search engine using the at least one search term;
receiving the hit list from the search engine;
retrieving at least one Web page based on the hit list;
bundling a copy of the at least one Web page into an e-mail message; and
forwarding the e-mail message to an end-user's terminal wherein the copy of the at least one Web page may be reviewed by the end-user;
wherein the bundled at least one Web page includes a link to another retrieved Web page, wherein a copy of the another retrieved Web page is also bundled into the e-mail message.

13. (Previously added) The computer readable medium of claim 5, wherein the server is an e-mail server.

14. (Previously added) The computer readable medium of claim 5, wherein the client terminal is off-line with the Internet, and the server is connected to the Internet.
